




Powering Wheel End Excellence



Visit <https://saifudetech.com> Contact: info@saifudetech.com

Heavy Duty Trailer Hubcaps



- High strength alloy
- Thickened flange

CLASSIC



- Match P.S.I. system
- Tee & Stator available

PSI



- Protection Shield
- Plug removable

SHIELD



- Protection Shield
- Premium venting

SHIELD PREMIUM



- Protection Cover
- NBR vent plug
- Logo can be printed

DEFENDER



- Protection Cover
- Premium plug
- Logo can be cast


DEFENDER PREMIUM



Red/Blue classic vent

Removable


Dust/water resistant: Standard



Blue/Black tight vent

Removable

Dust/water resistant: Good






Premium vent

Tamper-proof

Dust/water resistant: Excellent

SERIES	SFD PN	SPECIFICATIONS	PICTURES	Replace STEMCO
CLASSIC HUBCAP (Traditional design)	CO-4009	5.5", Red/Blue vent plug		343-4009
	CO-4195	6.75", Red/Blue vent plug		343-4195
SHIELD HUBCAP (Shield protector, Plug can be removed for filling)	SO-4009	5.5"		343-4009
	SO-4195	6.75"		343-4195
SHIELD HUBCAP (Shield protector, water/dust resistant vent plug)	SO-4009P	5.5"		356-4009 348-4009
	SO-4195P	6.75"		356-4195 348-4195

SERIES	SFD PN	SPECIFICATIONS	PICTURES	Replace STEMCO
DEFENDER HUBCAP (With protection cover, Rubber vent)	DO-4009	5.5" Logo silk printed/cast		343-4009
	DO-4195	6.75" Logo silk printed/cast		343-4195
DEFENDER HUBCAP (With protection cover, water/dust resistant vent plug)	DO-4009P	5.5" Logo silk printed/cast		356-4009 348-4009
	DO-4195P	6.75" Logo silk printed/cast		356-4195 348-4195
PSI hubcaps (For PSI/MTIS tire inflation systems)	PO-4009	5.5"		343-4370
	PO-4195	6.75"		340-4371

SERIES	SFD PN	SPECIFICATIONS	PICTURES	Replace STEMCO
Hubcap Gasket GP series- OE/after market GS series-OE market	330-GP3009	0.047"×5.5" for hubcap 4009		330-3009
	330-GP3118	0.047"×6.75" for hubcap 4195		330-3118
	330-GS3009	0.06"×5.5" for hubcap 4009		330-3009
	330-GS3118	0.06"×6.75" for hubcap 4195		330-3118
Hub bolts with washers (For hubcap installation)	BK002	5/16" * 6 pcs, flat washer		N/A
	BK003	5/16" * 6 pcs, spring washer		N/A


Medium Duty Trailer Hubcaps




- Alloy housing
- Magnetic vent
- Machined thread
- Color can be customized

SERIES	SFD PN	SPECIFICATIONS	PICTURES	Replace Valcrum
2.875	SFD-2875	Threads - 2.875in Fits Lippert 8K Axles Fits 6-8K 8 Bolts Axles		ST-2875
3.50	SFD-350	Threads - 3.500in Fits Dexter 9-10K GD Axles		ST-350
3.75	SFD-375	Threads - 3.750in Fits ALKO Hayes QRG 9-16K Axles Fits Rockwell American 9-16K Axles		ST-375
4.00	SFD-400	Thread 4.00in Fits 10-16K Lippert axles		ST-400
4.00D	SFD-400D	Thread 4.00in - 12 Fits 10-15K Dexter Axle		ST-400D


Temperature Alert bolts



ORIGINAL STATUS



ACTIVATED AT 250°F



- **Activates when wheel hub temperature rises to 250°F due to failed lubrication, bearing or brake issues**
- **Provides instant visual indication for overheated wheel end**
- **Easy to install. Low cost to save more**

Standard temp activation: 250°F (120°C), can be customized


Hubodometers




- **Mechanical transmission**
- **Stainless steel & copper parts**
- **Dual sealing**
- **Slim design**



- **Stainless steel housing**
- **1/2"-20 UNF**
- **Easy installation**



Installed on hubcap



Installed on bracket